



WENICE

Foshan Jianqiu Ceramics Co., Ltd.

Office/Showroom Add: Ceramics International Trading Center, Shop12-13, Building C6, 168 Jihuaxi Rd., Nanzhuang Town, Chancheng District, Foshan City, Canton Prov., China 528000

Tel: +86-757-83127351 Fax: +86-757-83127951

Website: www.jianqiu.com / www.wenicetiles.com

Email: info@wenicetile.com

Factory: Cenxi New Jianqiu Ceramics Co., Ltd

Address: Guwan industrial Zone, Daye Town, Cenxi City, Guangxi Prov. China.

SPECIALIST OF PROFESSIONAL SECTOR TILES

WENICE TACTILES



JIANQIU CERAMICS CO., LTD.

2013 PRODUCT CATALOG

WENICE

WENICE

COMPANY INTRODUCTION

WENICE TILE

Foshan Jianqiu Ceramics Co., Ltd is one of the leading ceramic tile manufacturers in China. We were founded in 1988; since then, we put our main focus on developing and manufacturing exterior wall tiles and floor tiles, and market our products as "Jianqiu" brand, which is well-known throughout the domestic ceramic tile market right now.

In 2010, in order to respond positively to the national implementation of "energy-saving, low-carbon, environmental-protection and sustainable-development strategy", Jianqiu Ceramics pursues the goal of a green and clean production. We setup a whole new factory in Cenxi City Guangxi Province. It is an opportunity for us to upgrade all environmental friendly production machineries and to increase production capability. Now the factory covers an area of 231,000m², and with daily production capability of 30,000m² of tiles.



At present, Jianqiu Ceramics has extended the reach to other continents of the world with our new line of products, "WENICE" brand (Simply called Venice tiles). This new line offers product range that suits western mindset; it is with concise design, and with variety of building material selections. Venice products have been successfully exported to many countries and regions of the world, such as South Korea, Japan, Russia, the Middle East, Southeast Asia, Australia etc.

The Venice tiles consist of eight successful series of products, which contains thousands of varieties and specifications. They are Porcelain External Wall Tile, Porcelain Floor Tile, Plaza Tiles, Supermarket Tile, Tunnel Tile, Tactiles, Swimming Pool Tile and Ceramic Mosaics etc. With its rich varieties and excellent product quality, Venice tiles is identified as a favorable tile supplier by many construction companies, real estate business, government and turnkey projects.

After years of development, Venice tile has created a wealth of experience in sales and after-sales service team for foreign customers. We got the ISO9001:2008 certification. We consistently implement our quality control policy management system, continuous improvement system and customer satisfaction system. These are on-going processes that can make sure we will serve our customers better and better.

1 Ceramic Tactile

size:300x300mm

2 Rubber Tactile

size:300x300mm

3 PVC Tactile

size:300x300mm

4 Stainless Steel Tactile

size:300x300mm

CONTENT

PRODUCT

Jianqiu Ceramics Co., Ltd.

2013



CERAMIC TACTILE

Warning Pattern

Specification Data




Size:
300x300mm

Thickness:
(10+5)mm

Package details:
11pcs/m²
6pcs/Carton
14kg/Carton


Carton Size:
314*97*310mm




DT2990D-61



DT8993D-61



DT2991D-62




DT8994D-62



DT8990D-61



DT8991D-62



CERAMIC TACTILE

Specification Data



Size:
300x300mm

Thickness:
(10+5)mm

Package details:
11pcs/m²
6pcs/Carton
14kg/Carton

Carton Size:
314*97*310mm



Specification Data




Size:
300x300mm

Thickness:
(3+4)mm


Package details:
11pcs/m²
50pcs/Carton
25kg/Carton




SL203



SL803



SL201



SL801



WENICE





Specification Data


Size:
300x300mm

Thickness:
(3+4)mm

Package details:
11pcs/m²
50pcs/Carton
25kg/Carton




SL903



SL901



SL223



SL221



Model Used: SL221

WENICE





Surface:
Diameter: 35mm

Nail:
Diameter: 8mm

Total Height: 19mm

Package details:
4g/pcs, 1000pcs/Carton



Strip Indicator

Surface:
Length: 280mm
Width: 35mm
Thickness: 5mm

Nail :
Length: 10mm
Diameter: 5.5mm

Package details:
46g/pcs, 300pcs/Carton



Surface:
Diameter: 35mm
Thickness: 4.7mm

Nail:
Length: 14mm
Diameter: 5mm

Package details:
24g/pcs, 1000pcs/Carton,

Strip Indicator

Surface:
Length: 280mm
Width: 34.5mm
Thickness: 5.3mm

Nail:
Length: 1.3mm
Diameter: 5.5mm

Package details:
5g/pcs, 500pcs/Carton



Important safety features at railway crossings



Passenger wharves



Car park crossings



Wheel chair ramps



Kerbs, step and intersection pram ramps



Stairway access



Important safety features at railway platforms



Escalator access



Important safety features at railway crossings



Changes of direction



1. Take measurements and make sure the position



2. Perforate at the fixed position




3. Clean up the dust on the ground



4. Inject epoxy-glue



5. Put the paving into the hole



6. Accomplish after dry

Data Of Ceramic Tactile

